## <u>Listing of Claims</u>:

- 1. (Currently Amended) An image reproduction apparatus comprising: which is connectable to a memory configured to record photographed image data and photographing information of the photographed image data in association with each other. [[;]] the image reproduction apparatus comprising:
  - a display;

5

10

15

- a first display control unit configured to set a <u>given</u>

  predetermined number of display areas on the display, the <u>display</u>

  areas each being assignable to one of a plurality of different

  image groups;
- a display area selection unit configured to select <u>from</u>

  <u>among the display areas</u>, <u>based</u> on <u>the basis of</u> the photographing
  information recorded in the memory, a display area [[in]] <u>to</u>

  which <u>an image group including</u> the photographed image data
  recorded in the memory <u>is assigned;</u> in association with the

  photographing information should be displayed from the

  predetermined number of display areas set by the first display
  control unit;
- a second display control unit configured to display <u>in the</u>

  <u>selected display area</u> the photographed image data <u>of the image</u>

  <u>group assigned to in the selected display area; selected by the display area selection unit; and</u>

30

a third display control unit configured to limit <u>a</u> the number of photographed image data to be simultaneously displayed in the <u>selected</u> display area to a predetermined number; and

a fourth display control unit configured to display other

photographed image data in the image group assigned to the

selected display area and not included within the predetermined

number, by changing the predetermined number of photographed

image data to be simultaneously displayed in the selected display

area, while maintaining display control of the first, second and

third display control units.

- 2. (Currently Amended) An The apparatus according to claim 1, wherein the photographing information  $\frac{1}{1}$  comprises information representing  $\frac{1}{1}$  photographing time of the photographed image data.
- 3. (Withdrawn Currently Amended) An The apparatus according to claim 1, wherein the photographing information is comprises information representing a photographing position of the photographed image data.

- 4. (Withdrawn Currently Amended) An The apparatus according to claim 1, wherein the photographing information is comprises information representing a type of the photographed image data.
- 5. (Currently Amended) An The apparatus according to claim 1, wherein the third display control unit includes an image selection unit configured to select a the predetermined number of photographed image data having early earliest photographing times from the plurality of photographed image data to be displayed in the same display area, and an image display unit configured to simultaneously display, in the selected display area, the predetermined number of photographed image data selected by the image selection unit.
- 6. (Withdrawn Currently Amended) An The apparatus according to claim 1, wherein the third display control unit includes an image selection unit configured to select a predetermined number of arbitrary photographed image data from the plurality of photographed image data to be displayed in the same display area up to the predetermined number, and an image display unit configured to simultaneously display, in the selected display area, the predetermined number of photographed image data selected by the image selection unit.

7. (Currently Amended) An The apparatus according to claim 1, wherein the third display control unit limits the <a href="mailto:predetermined">predetermined</a> number of photographed image data to be simultaneously displayed in the display area to one.

Claims 8-10 (Canceled).

5

- 11. (Currently Amended) An The apparatus according to claim 1, further comprising a display area designation unit configured to designate an arbitrary display area of the predetermined given number of display areas, and an image processing unit configured to execute predetermined image processing at once for a plurality of photographed image data to be displayed in the arbitrary display area designated by the display area designation unit.
- 12. (Withdrawn Currently Amended) An The apparatus according to claim 11, wherein the display area designation unit designates a plurality of arbitrary display areas of the predetermined given number of display areas, and the image processing unit executes the predetermined image processing at once for a plurality of photographed image data to be displayed in each of the plurality of display areas designated by the display area designation unit.

- 13. (Currently Amended) An apparatus according to claim 11, which further comprises comprising an image processing designation unit configured to designate a type of image processing, and in which wherein the image processing unit executes image processing of the type designated by the image processing designation unit at once for a the plurality of photographed image data.
- 14. (Withdrawn Currently Amended) An The apparatus according to claim 1, wherein the third display control unit also limits a type of photographed image data to be displayed in the selected display area.
- 15. (Withdrawn Currently Amended) An The apparatus according to claim 14, which further comprises further comprising an image type designation unit configured to designate the type of photographed image data, and in which wherein the third display control unit limits the type of photographed image data to be displayed in the selected display area based on the basis of the type of photographed image data designated by the image type designation unit.
- 16. (Withdrawn Currently Amended) An The apparatus according to claim 1, wherein:

10

15

20

25

the first display control unit includes a setting unit configured to set a predetermined number of storage areas on a display memory,

the display area selection unit includes a selection unit configured to select <u>from among the storage areas on the display memory</u>, <u>based</u> on <u>the basis of</u> the photographing information recorded in the memory, a storage area in which the photographed image data <u>and associated photographing information</u> recorded in the memory <u>is storable</u>, <u>in association with the photographing information should be stored from the predetermined number of display areas set on the display memory by the first display control unit,</u>

the second display control unit includes a storage control which stores the photographed image data in the <u>selected</u> storage area on the display memory, which is selected by the display area selection unit,

the third display control unit includes a limiting unit configured to limit the number of photographed image data to be simultaneously stored in the storage area, and

the apparatus further comprises an image file generation unit configured to generate one image file data by using the photographed image data stored on the display memory by the first, second, and third display control units and the display area selection unit.

10

17. (Withdrawn - Currently Amended) An The apparatus according to claim 16, wherein:

the display displays the <u>photographed</u> image data stored on the display memory by the first, second, and third display control units and the display area selection unit,

the apparatus further comprises a generation instruction unit which instructs generation of the image file data by the image file generation unit, and when instruction by the generation instruction unit is issued in a state wherein the <a href="https://photographed">photographed</a> image data is displayed on the display, the image file generation unit generates the image file data.

- 18. (Withdrawn Currently Amended) An The apparatus according to claim 16, wherein the memory records the image file data generated by the image file generation unit.
- 19. (Withdrawn Currently Amended) An The apparatus according to claim 16, further comprising a transmission unit which transmits the image file data generated by the image file generation unit to an external device.

10

5

- 20. (Currently Amended) An The apparatus according to claim 1, further comprising:
- a display area designation unit configured to designate an arbitrary display area of the <a href="predetermined given">predetermined given</a> number of display areas[[,]]; and
- a fourth fifth display control unit configured to simultaneously display, on the display, a plurality of photographed image data including the photographed image data which are limited by the third display control unit and are not displayed, in the arbitrary display area designated by the display area designation unit.
- 21. (Currently Amended) An The apparatus according to claim 20, further comprising:

an image selection unit configured to select <u>an</u> arbitrary photographed image data from the plurality of photographed image data simultaneously displayed on the display by the <u>fourth fifth</u> display control unit, and

a <u>fifth sixth</u> display control unit configured to display, on the display, an enlarged image of the <u>arbitrary</u> photographed image data selected by the image selection unit.

- 22. (Currently Amended) An The apparatus according to claim 1, which further comprises comprising an image sensor configured to sense an object image and outputs output photographed image data, and in which wherein the memory records the photographed image data output from the image sensor.
- 23. (Currently Amended) An image reproduction apparatus comprising: which is connectable to a memory configured to record a plurality of photographed image data, [[;]] the image reproduction apparatus comprising:
  - a display;

5

10

- a classification unit configured to classify the <u>plurality</u> of photographed image data recorded in the memory into a plurality of <u>different</u> groups in accordance with a predetermined condition;
- a first display control unit configured to <u>simultaneously</u> display, on the display <del>for each group</del>, the <u>plurality of</u> photographed image data classified <u>into the plurality of</u> <u>different groups</u> by the classification unit;
- a second display control unit configured to limit the  $\underline{a}$  number of photographed image data to be  $\underline{simultaneously}$  displayed in each group to  $\underline{one}$  a  $\underline{predetermined\ number}$ ; and
- a third display control unit configured to sequentially switch the photographed image data displayed in each group to

25

5

5

display, on the display, a plurality of photographed image data included in the same group display other photographed image data included in each group and not displayed within the predetermined number of simultaneously displayed photographed image data, by changing the predetermined number of photographed image data to be simultaneously displayed in each group, while maintaining the display control of the first and second display control units.

- 24. (Withdrawn Currently Amended) An The apparatus according to claim 23, which further comprises comprising an instruction unit configured to manually instruct change of the photographed image data displayed on the display, and in which wherein when the instruction unit instructs change of the display displayed photographed image data, the third display control unit switches the display to the a next photographed image data.
- 25. (Withdrawn Currently Amended) An The apparatus according to claim 23, which further comprises comprising a group designation unit configured to designate an arbitrary group, and in which wherein the third display control unit sequentially switches the photographed image data included in the arbitrary group designated by the group designation unit to display the plurality of photographed image data included in the same arbitrary group.

10

15

20

Claims 26-31 (Canceled).

32. (Currently Amended) An image reproduction method comprising steps of:

a first display control step of setting a predetermined given number of display areas on a display, the display areas each being assignable to one of a plurality of different image groups;

a display area selection step of selecting from among the display areas, based on the basis of photographing information recorded in a memory, a display area in to which an image group including photographed image data recorded in the memory in association with the photographing information is assigned; should be displayed from the predetermined number of display areas;

<u>a second display control step of</u> displaying, in the selected <u>display area</u>, the photographed image data <u>of the image group</u> assigned to <u>in</u> the selected display area; and

<u>a third display control step of</u> limiting the <u>a</u> number of photographed image data to be simultaneously displayed in the <u>selected</u> display area to a predetermined number; and

a fourth display control step of displaying other

photographed image data in the image group assigned to the

5

10

15

number, by changing the predetermined number of photographed image data to be simultaneously displayed in the selected display area, while maintaining the display control of the first, second and third display control steps.

33. (Currently Amended) A <u>computer readable medium having</u>

<u>recorded thereon a computer readable</u> program which causes a

<u>computer of for controlling</u> an image reproduction apparatus to

execute:

processing for a first display control step of setting a predetermined given number of display areas on a display, the display areas each being assignable to one of a plurality of different image groups;

from among the display areas, based on the basis of photographing information recorded in a memory, a display area in to which an image group including photographed image data recorded in the memory in association with the photographing information is assigned; should be displayed from the predetermined number of display areas;

processing for a second display control step of displaying, in the selected display area, the photographed image data of the image group assigned to in the selected display area; and

25

a number of photographed image data to be simultaneously
displayed in the selected display area to a predetermined number;
and

a fourth display control step of displaying other

photographed image data in the image group assigned to the

selected display area and not included within the predetermined

number, by changing the predetermined number of photographed

image data to be simultaneously displayed in the selected display

area, while maintaining the display control of the first, second

and third display control steps.